


# Carwash Solutions

PRECISE, ACCURATE... WHAT A PERISTALTIC PUMP SHOULD BE



RELIABLE AND EASY TO OPERATE – WHAT A PERISTALTIC PUMP SHOULD BE...

# Triple Head Pump



For Triple Foam Applications

**T44 Series** with #1 santoprene® pump tube

.03 – .44 oz/min per head  
.76 – 13.1 ml/min per head

**T44 Series** with #2 santoprene® pump tube

.07 – 1.51 oz/min per head  
2.1 – 44.7 ml/min per head

## Why Stenner Pumps?

- Peristaltic metering pumps since 1957
- Self-priming; won't lose prime no foot valve assemblies required
- Snap fit sub-assemblies allows service without tools

# Single Head Pump



## 85 Series with santoprene® pump tube

For detergents, presoaks, polishes,  
rust inhibitors and wheel cleaners

GPD	OZ/MIN	ML/MIN
5	.03 – .44	.76 – 13.1
17	.07 – 1.51	2.1 – 44.7
40	.18 – 3.55	5.3 – 105.1

## 85 Series with tygothane® pump tube

For drying agents, waxes and  
polymer conditioners

GPD	OZ/MIN	ML/MIN
17	.07 – 1.51	2.1 – 44.7

- Money savings & space saving design
- Meters accurately at low volumes for hyperconcentrates
- External dial ring adjustment from 5-100% in 2.5% increments

- No water filters required
- Handles pressures up to 100psi
- Self-priming up to 25 feet

Ideal for OEM applications with varied conveyor speeds

## Variable Speed Pump

### SVP Series

- Precise feed in 1% increments
- Optional 4-20mA input signal
- Outputs up to 3.6 oz/min
- Easy operation with 4 button keypad



Well suited for powder chemicals

## Tank System

### STS Series

- Preassembled Tank system with pump attached
- Available in 15 or 30 gallons
- Rugged tank construction



Ideal for enzyme feed in water reclamation systems and for pit disinfection

## Timer Model

### BDF Series

- 24 hour and 7 day models
- Doses up to 21 oz. per hour
- Self priming with priming switch
- 9V battery to backup timer



Meters chemicals proportional to varied system flow rates

## Proportion Module

### PCM Series

- Activated by water meter pulse signal
- Interfaces with fixed output pump
- Incremental knob adjustment



3174 DeSalvo Road  
Jacksonville, Florida 32246

Phone: 904-641-1666  
US Toll Free: 800-683-2378  
Fax: 904-642-1012

sales@stenner.com  
[www.stenner.com](http://www.stenner.com)